

SOMATOTYPE

BIBLIOGRAPHY II

1990 +

J.E. Lindsay Carter, Ph.D.
Professor Emeritus
Exercise and Nutritional Sciences
San Diego State University
San Diego, CA. 92182-7251. USA.

This bibliography continues on from SOMATOTYPE BIBLIOGRAPHY I, which includes references from 1938-1989. To add to this bibliography, send an e-mail to lindsay.carter@sdsu.edu with the references in the correct format.

[Edited 22 October 2013]

Alexander, P. (1995). Aptitud Fisica, Characteristicas Morfológicas y Pruebas Estandarizadas in Venezuela. Caracas: Instituto Nacional de Deportes.

Alexander, P., Mota, D. and Arevalo, A. (1993). Normas para la evaluation de la aptitud fisica y characterísticas morfológicas del estudiante Guatemalteco. Ciencias de la Actividad Fisica. Caracas, Venezuela: Claced. 2, 1, 1,54.

Almagia, F.A., Torro, D.T., Binvignat, G.O., Cabrera, E., Marinao, A. (1996). Appoximacion al perfil morfoestructural y dimorfismo sexual de jovenes de ambos sexos de 6 a 23 años de edad caracterizados por el somatotipo. Rev. Chil. Anat., 14 (2), 189-197.

Almagia, F.A.A., Torro, D.T.A., Gurovich, M.A., Cabrera, E., Marinao, A. and Binvignat, O. (1996). Determinacion y analisis de la morfoestructura de un equipo de futbol profesional. Rev. Chil. Anat., 14 (1), 87-95.

Almeida AH, Santos SA, Castro PJ, Rizzo JA, Batista GR. (2013). Somatotype analysis of physically active individuals. *J Sports Med Phys Fitness*; Jun;53(3):268-73.

Alvero Cruz, J.R. (1995). Proporcionalidad en jugadores de balonmano. (Proportionality in handball players.) In C. Garcia Lopez (Ed.), Actas del Congreso Ceintifco Olímpico 1992, Biomecanica y Cineantropometria, Vol. V, pp. 192-198. Malaga, Spain: Instituto Andaluz del Deporte.

Alvero Cruz, J.R. (1995). Perfil morfofuncional y bioquímico en ciclistas juveniles. (Morphofunctional and biochemical profiles in young cyclists.) In C. Garcia Lopez (Ed.), Actas del Congreso Ceintifco Olímpico 1992, Biomecanica y Cineantropometria, Vol. V, pp. 207-214. Malaga, Spain: Instituto Andaluz del Deporte.

Alvero Cruz, J.R. (1995). Estudio cineanthropometrico en jugadores veteranos de balonmano inactivos. (Kinanthropometric study of inactive veteran handball players.) In C. Garcia Lopez (Ed.), Actas del Congreso Ceintifco Olímpico 1992, Biomecanica y Cineantropometria, Vol. V, pp. 215-224. Malaga, Spain: Instituto Andaluz del Deporte.

Amusa, L.O., Toriola, A.L. and Agbonjinmi, A.P. (2003). Anthropometric profiles of top national track athletes. African Journal for Physical, Health Education, Recreation and Dance. 9:1, 67-82.

- Amusa, L.O. and Onywaddume, I.U. (2001). Anthropometry, body composition and somatotypes of Botswana national Karate players: A descriptive study. *Acta Kinesiologiai Universitatis Tartuensis*, 6, 7-14.
- Aragonés, M. and Casajús, J.A. (1991). Modificaciones antropométricas debidas al entrenamiento. Estudios longitudinales. *Archivos de Medicina del Deporte*. VIII:32; 345-353.
- Arraj, J. (1990). Tracking the elusive human, Volume II. Chiloquin, Oregon: Inner Growth Books and Videos.
- Arraj, J. and Arraj, T. (1990). Tracking the elusive human, Volume I. Chiloquin, Oregon: Inner Growth Books and Videos.
- Arraj, J. and Arraj, T. (1994). William Sheldon: A Forgotten Giant of American Psychology. (VHS Video, 40 min.) Chiloquin, OR: Inner Growth Books & Videos.
- Badenhorst, L., de Ridder, J.H. and Underhay, C. (2003). Somatotype, blood pressure, and physical activity among 10- to 15- year old South African boys: the Thusa Bana Study. *African Journal for Physical, Health Education, Recreation & Dance*, (Suppl), 184-195.
- Barbieri C.C., Rodriguez P.H. and Narvaez P.G. (1996). Kineantropometría de deportistas participantes en las finales provinciales de los torneos juveniles bonaerenses de 1994, Argentina. (Kinanthropometry of young athletes in the 1994 Bonaerenses Juvenile tournament.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 41: 5-27.
- Barbieri D, Zaccagni L, Cogo A, Gualdi-Russo E. (2012). Body composition and somatotype of experienced mountain climbers. *High Alt Med Biol*. Mar;13(1):46-50.
- Baltadjiev AG. (2013). Somatotype characteristics of female patients with type 2 diabetes mellitus. *Folia Med (Plovdiv)*; Jan-Mar;55(1):64-9.
- Baltadjiev AG, Baltadjiev GA, Kaleva NN. (2009). Somatotypological characteristics of children with type 1 diabetes mellitus. *Folia Med (Plovdiv)*. Oct-Dec;51(4): 29-33.
- Barbieri D, Zaccagni L, Cogo A, Gualdi-Russo E. (2012). Body composition and somatotype of experienced mountain climbers. *High Alt Med Biol*. Mar;13(1):46-50.
- Battinelli, T. (2000). *Physique, Fitness, and Performance*. Boca Raton, FL.: CRC Press.
- Battista, R.A., Pivarnik, J.M., Dummer, G.M., Sauer, N. and Malina, R.M. (2007) Comparisons of physical characteristics and performances among female collegiate rowers. *Journal of Sports Sciences*, 25:6, 651-657.
- Bayios, I.A., Bergeles, N.K., Apostolidis, N.G., Noutsos, K.S. and Koskolou, M.D. (2006). Anthropometric, body composition and somatotype differences of Greek elite female basketball, volleyball and handball players. *J Sports Med Phys Fitness*. 46:(2); 271-80.
- Berg K, Latin RW, Coffey C. (1998). Relationship of somatotype and physical characteristics to distance running performance in middle age runners. *J Sports Med Phys Fitness*. Sep;38(3):253-7.
- Bing-Biehl, C. and Biehl da Silva, C. (1991). Comparació entre el somatotip d'homes de la tercera edat sedentaris i practicants d'exercicis físics regulars al llarg de la vida. *Apunts: Medicina de l'esport*, 28, 261-269.
- Bing-Biehl, C. and Zuma Maia, F.C. (1990). Somatótipos de pilotos da força aérea Brasileira. H. F. A. Publicação Tecnico-Científica do Hospital das Forças Armadas, 5 (1,2), 13-16.
- Bloomfield, J., Ackland, T.R. and Elliott, B.C. (1994). *Applied Anatomy and Biomechanics in Sport*, Chapt. 5, pp. 46-64. Melbourne: Blackwell Scientific Publications.
- Bodzsar, E.B. (1991) The Bakony Growth Study. Budapest: Humanbiologia Budapestinensis.

- Bolonchuk, W.W., Siders, W.A., Lykken, G.I. and Lukaski, H.C. (1998). The association of dominant somatotype of men with body structure, function during exercise and nutritional assessment. U.S. Department of Agriculture, Agricultural Research Service, Northern Plains Area, Grand Forks, North Dakota, USA. (Report of 34 pages.)
- Bolonchuk WW, Siders WA, Lykken GI, Lukaski HC. (2000). Association of dominant somatotype of men with body structure, function during exercise, and nutritional assessment. Am J Hum Biol. Mar;12(2):167-180.
- Boswell, R.E. (1991). Anthropometric analysis of baseball players and non-throwing college athletes. M.A. thesis, San Diego State University, San Diego.
- Brandyopadhyay, A. (2007). Anthropometry and body composition in soccer and volleyball players in West Bengal, India. J. Physiological Anthropology, 26(4), 501-05.
- Brenner, J.F., Casey, V.A., Dwyer, J.T. and Bailey, S.M. (1994). The measurement of body fat distribution using somatotype photographs and computer-assisted techniques. Annals of Human Biology, 21, 1, 23-38.
- Broekhoff, J., Pieter, W., Taaffe, D. and Nadgir. (1993). A. Somatotypes of female veteran track and field athletes. In W. Duquet and J.A.P. Day (Eds.), Kinanthropometry IV, pp. 189-197. London: E. & F.N. Spon.
- Buday, J. (1990). Growth and Physique in Down Syndrome Children and Adults. Budapest: Humanbiologia Buiapestinensis.
- Buffa R, Floris G, Putzu PF, Carboni L, Marini E. (2007). Somatotype in elderly type 2 diabetes patients. Coll Antropol. Sep;31(3): 733-7.
- Buffa, R., Succa, V., Garau, D., Marini, E. and Floris, G. (2005). Variations of somatotype in elderly Sardinians. American Journal of Human Biology, 17: 403-411.
- Buśko K, Lewandowska J, Lipińska M, Michalski R, Pastuszak A. (2013). Somatotype-variables related to muscle torque and power output in female volleyball players. *Acta Bioeng Biomech*;15(2):119-26.
- Caine, D., Tremblay, M. and Yu, M. (1994). An exploratory somatotype study of children with movement difficulties. In: F.I. Bell and G.H. Van Gyn (Eds.), Access to Active Living, Proc. 10th Commonwealth & Int. Scientific Congr., Kinanthropometry Section, 10-14 Aug. 1994, Victoria, B.C., Canada, 317-322.
- Carlson, B.R, Carter, J.E.L., Patterson, P., Petti, K., Orfanos, S.M. and Noffal, G.J. (1994). Physique and motor performance characteristics of US national rugby players. Journal of Sports Sciences, 12, 403-412.
- Carter, J.E.L. (1995). Constitución física de los atletas en el campeonato mundial de actividades acuáticas. (Physical structure of athletes at the World Aquatic Championships.) In C. Garcia Lopez (Ed.), Actas del Congreso Científico Olímpico 1992, Biomecánica y Cineantropometría, Vol. V, pp. 180-184. Málaga, Spain: Instituto Andaluz del Deporte.
- Carter, L. (1996). Somatotyping. In K. Norton and T. Olds (Eds.), Anthropometrica, Chapt. 6, pp. 148-170. Sydney: University of New South Wales Press.
- Carter, J.E.L. (1996). Somatotype analysis - review and comments. In: L.S. Sidhu and S.P. Singh (Eds.), Human Biology - Global Developments, pp. 95-103. Ludhiana, India: USG Publishers & Distributors.
- Carter, L. (2000). Somatotipo. In: K. Norton and T. Olds (Eds.), Antropometria (Edición en español; J.C. Mazza, Ed.) Cap. 6, pp. 113-155. Rosario, ARG: Biosystem Servicio Educativo.
- Carter, J.E.L. (2003). Anthropometry of team sports. In T. Reilly and M. Marfell-Jones (Eds.). Kinanthropometry VIII, Ch. 11, pp. 117-130. London: Routledge.

- Carter, L. (2013). Kinanthropometry. In: M. Talbot, H. Haag, K. Keskinen (Eds), *Directory of Sport Science* (6th Ed.), pp. 139-148. Berlin, GER: ICSSPE/CIEPSS.
- Carter, J.E.L. and Ackland, T.R. (2009). Somatotype in sport. In: T.R. Ackland, B.C. Elliot and J. Bloomfield (Eds.), *Applied Anatomy and Biomechanics in Sport*, 2nd Edition, Chapt. 4, pp. 47-66. Champaign, IL: Human Kinetics.
- Carter, J.E.L., Ackland, T.A., Kerr, D.A. and Stapff, A.B. (2005). Somatotype and size of elite female basketball players. *Journal of Sports Sciences*, 23(10): 1057-1063.
- Carter, J.E.L., and Duquet, W. (1999) Letter to the Editor. *American Journal of Human Biology*, 11:433-436.
- Carter, J.E.L., Duquet, W. and Rempel, R. (1998). Letter to the editor. *American Journal of Human Biology*, 10: 2-4. (SDD)
- Carter, J.E.L. and Heath, B.H. (1990). *Somatotyping – Development and Applications*. Cambridge: Cambridge University Press.
- Carter, J.E.L. and Marfell-Jones, M.J. (1994). Somatotypes. In: J.E.L. Carter and T.R. Ackland (Eds.), *Kinanthropometry in Aquatic Sports - A Study of World Class Athletes*. Champaign, IL: Human Kinetics, Chapter 4, 55-82.
- Carter, J.E.L., Mirwald, R.L., Heath-Roll, B.H. and Bailey, D.A. (1997). Somatotypes of 7-16 year-old boys in Saskatchewan, Canada. *American Journal of Human Biology*. 9:(2), 257-272.
- Carter, J.E.L., Powell-Santi, L.A. and Rodriguez Alonzo, C. (1994). Physique and performance of USA volleyball players. In: F.I. Bell and G.H. Van Gyn (Eds.), *Access to Active Living*, Proc. 10th Commonwealth & Int. Scientific Congr., Kinanthropometry Section, 10-14 Aug. 1994, Victoria, B.C., Canada, 311-316.
- Carter, J.E.L., Rienzi, E.G., Gomes, P.S.C. and Martin, A. (1998). Somatotipo y Tamaño Corporal. In: E. Rienzi, J.C. Mazza, J.E.L. Carter and T. Reilly (Eds.). *Futbolista Sudamericano de Elite: Morfología, Análisis del Juego y Performance*, pp. 64-77. Rosario, Argentina: Biosystem Servicio Educativo.
- Carter, J.E.L. and Stewart, A.D. (2012). Physique: phenotype, somatotype and 3D scanning. In: A.D. Stewart and L. Sutton (Eds.), *Body Composition in Sport, Exercise and Health*. (Chapt. 4.) London: Routledge.
- Carvajal W, Betancourt H, León S, Deturnel Y, Martínez M, Echevarría I, Castillo ME, Serviat N. (2012). Kinanthropometric profile of Cuban women Olympic volleyball champions. *MEDICC Rev*; Apr;14(2):16-22.
- Carvajal, Wiliam, MS, Ríos, Andrés, MD, Echevarría, Ivis, Martínez, Miriam, Miñoso, Julio, MD, Rodríguez, Dialvis, MS. (2009). Body Type and Performance of Elite Cuban Baseball Players. *MEDICC Review*, Spring: 11: 2, 15-20.
- Casagrande, G. and Viviani, F. (1993). Somatotype of Italian rugby players. *The Journal of Sports Medicine and Physical Fitness*, 33, 1, 65-69.
- Casajus Mallen, J.A. (1996). Actividad física en el niño en edad escolar: características antropométricas, composición corporal y madurez. Tesis doctoral (microfichas). Prensas Universitarias de Zaragoza: Zaragoza.
- Casajús, J.A. (2001). Seasonal variation in fitness variables in professional soccer players. *Journal of Sports Medicine and Physical Fitness*, 41:4; 463-469.
- Casajús, J.A. and Aragonés, M.T. (1991). Estudio morfológico del futbolista de alto nivel. Composición corporal y somatotipo. (Parte 1) *Archivos de Medicina Del Deporte*, 30, 147-151.

- Casajús Mallén, J.A. and Aragonés Clemente, M.T. (1993). Valoracion antropometrica del futbolista por categoria deportiva y posicion en el terreno de juego. *Revista Portuguesa de Medicina Desportiva*, 11, 101-116.
- Casajús Mallén, J.A. and Aragonés Clemente, M.T. (1997). Estudio cineantropométrica del futbolista profesional Español. *Archivos de Medicina Del Deporte*, 59, 177-184.
- Casajús Mallén, J.A. and Aragonés Clemente, M.T. (1997). Kinanthropometric study of Spanish professional soccer player. *Archivos de Medicina Del Deporte*, 59, 117-184.
- Casey, V.A., Dwyer, J.T., Berkey, C.S., Bailey, S.M., Coleman, K.A. and Valadian, I. (1994). The distribution of body fat from childhood to adulthood in a longitudinal study population. *Annals of Human Biology*, 21, 1, 39-55.
- Catell, P. and Metzner, R. (1993). Associations among somatotype, temperament and self-actualization. *Psychological Reports*, 72:3, 1165-66.
- Cattrysse, E., Zinzen, E., Caboor, D., Duquet, W., Van Roy, P. and Clarys, J.P. (2002). Anthropometric fractionation of body mass: Matiegka revisited. *Journal of Sports Sciences*, 20:9; 717-723.
- Cavala M, Katić R. (2010). Morphological, motor and situation-motor characteristics of elite female handball players according to playing performance and position. *Coll Antropol*; Dec;34(4):1355-61.
- Cavala M, Trninić V, Jasić D, Tomljanović M. (2013). The influence of somatotype components and personality traits on the playing position and the quality of top Croatian female cadet handball players. *Coll Antropol*; May;37 Suppl 2:93-100.
- Chaouachi, M., Chaouachi, A., Chamari, K., Chtara, M., Feki, Y., Amri, M. and Trudeau, F. (2005). Effects of dominant somatotypes on aerobic capacity trainability. *British Journal of Sports Medicine*, 39: 954-959.
- Chatterjee, P., Banerjee, A.K., Majumdar, P. and Chatterjee, P. (2006) Anthropometric and physical performance variables of Indian women boxers. *African Journal for Physical, Health Education, Recreation and Dance*. 12:2; 204-213.
- Chowdhary, U. (1993). Self-perceived somatotypes and clothing-related behaviours of older men and women. *Perceptual and Motor Skills*, 77:1, 307-?.
- Claessens, A.L., Beunen, G., Lefevre, J., Stijnen, V., Maes, H. and Veer, F.M. (1990). Relation between physique and performance in outstanding female gymnasts. Amsterdam: In Hermans, G.P. H. and Mosterd, W.L. (Eds.). *Sports, Medicine and Health*.
- Claessens, A.L., Bourgois, J., Pintens, K., Lefevre, J., Van Renterghem, B., Philippaerts, R., Loos, R., Janssens, M., Thomis, M. and Vrijens, J. (2002). Body composition and somatotype characteristics of elite female junior rowers in relation to level, rowing style, and boat type. In: O.G. Eiben and E.B. Bodszár, with A. Zsákai (Eds.), *Children and Youth at the Beginning of the 21st Century. Humanbiologia Budapestinensis*, 27, 159-165.
- Claessens, A., Hlatky, S., Lefevre, J., and Holdhaus, H. (1994). The role of anthropometric characteristics in modern pentathlon performance in female athletes. *Journal of Sports Sciences*, 12, 391-401.
- Claessens, A., Lefevre, J., Beunen, G. and De Corte, D. (1990). Somatic structure and somatotype of female physical education students; a comparison of different methods. In: V.V. Novotny and S. Titlbachova, *Methods of Functional Anthropology* (2). Prague: Universitas Carolina Pragensis, 253-261.
- Claessens, A.L., Lefevre, J., Beunen, G., Maes, M. and Stijnen, V. (1994). Body composition and somatotype characteristics of outstanding male gymnasts. In: F.I. Bell and G.H. Van Gyn (Eds.), *Access to Active Living, Proc. 10th Commonwealth & Int. Scientific Congr., Kinanthropometry Section*, 10-14 Aug. 1994, Victoria, B.C., Canada, 308-310.

- Claessens A.L., Malina, R.M., Lefevre, J., Beunen, G., Stijnen, V., Maes, H. and Veer, F.M. (1992). Growth and menarcheal status of elite female gymnasts. *Medicine and Science in Sports and Exercise*, 24, 7, 755-763.
- Claessens, A.L., Pince, I., Lefevre, J. et al. (1995). Seguimiento del indice de tronco de Sheldon en hombres desde la primera adolescencia hasta la edad adulta. (Tracking of Sheldon's trunk index in males from early adolescence through adulthood.) In C. Garcia Lopez (Ed.), *Actas del Congreso Cientifico Olimpico 1992, Biomecanica y Cineantropometria*, Vol. V, pp. 264-267. Malaga, Spain: Instituto Andaluz del Deporte.
- Claessens, A.L., Veer, F.M., Stijnen, V., Lefevre, J., Maes, H., Steens, G. and Beunen, G. (1991). Anthropometric characteristics of outstanding male and female gymnasts. *Journal of Sports Sciences*, 9, 53-74.
- Clough, M. L. (1995). Applying somatotyping and morphing to the study of body image. B.Sc. Thesis, University of New South Wales, Sydney, Australia.
- Coetzee, B. (2002). Somatotyperingsprofiële van manlike en vroulike Suid-Afrikaanse kruipslagwemmers (Somatotype profiles of male and female South African crawl stroke swimmers). *South African Journal for Research in Sport, Physical Education and Recreation*, 24, 1-12.
- Coetzee, B. (2008). Proportionality and sexual dimorphism in elite South African crawl stroke swimmers. In: M. Marfell-Jones and T. Olds (Eds.), *Kinanthropometry X*, pp. 243-262. Abingdon, UK: Routledge.
- Collins, M.A., Millard-Stafford, M.L., Evans, E.M., Snow, T.K., Cureton, K.J. and Rosskopf, L.B. (2004). Effect of race and musculoskeletal development of the accuracy of air plethysmography. *Medicine & Science in Sports and Exercise*, 1070-1077.
- Cooper, S-M., Reid, C. and Hanton, S. (2002). Androgyny of physique, somatotype and psychological androgyny in successful netball players. *Journal of Sports Sciences*, 20:1; 33-34 (Abstract).
- Cressie, N.A.C. (1998). Letter to the editor. *American Journal of Human Biology*, 10 (1), 1-2. (SDD)
- Cyrino, E.S., Maestá, N., dos Reis, D.A., Nardo Junior, N., Morelli, M.Y.G., Santarém, J.M. and Burini, R.C. (2002). Perfil antropométrico de culturistas Brasilieras de elite. *Rev. Paul. Educ. Fis.*, São Paulo, 16:1, pp. 27-34.
- Czerniak U, Demuth A, Krzykała M, Janowski J. (2007). [Short countryside children in view of anthropometric research] *Pediatr Endocrinol Diabetes Metab*. 13(3):130-4. (In Polish.)
- De Ridder, J.H. (1992). A morphological profile of junior and senior Cravenweek rugby players. Ph.D. thesis, Potchefstroom University for CHE, Potchefstroom, S.A.
- De Ridder, J.H., Amusa, L.O., Monyeki, K.D., Toriola, A.L., Carter, J.E.L. (2001) Kinanthropometry in African Sports: Body Composition and somatotypes of world class female African middle-, long-distance and marathon runners. *African Journal for Physical, Health Education, Recreation and Dance*, Vol 7(1):1-13.
- De Ridder, J.H., Monyeki, K.D., Amusa, L.O., Toriola, A.L., Wekesa, M., Carter, J.E.L. (2000) Kinanthropometry in African sports: Somatotypes of female African athletes. *African Journal for Physical, Health Education, Recreation and Dance*, Vol 6(1):1-15.
- De Ridder, H., Monyeki, D., Amusa, L., Toriola, A., Wekesa, M., and Carter, L. (2000) Kinanthropometry in African sports: Body composition and somatotypes of world class male African middle distance, long distance and marathon runners. In: K. Norton, T. Olds and J. Dollman (Eds.), *Kinanthropometry VI: Proceedings of the Sixth Conference of the International Society for the Advancement of Kinanthropometry*, (pp. 37-51). Adelaide, SA: International Society for the Advancement of Kinanthropometry.
- De Ridder, J.H. and Peens, J. (2000). Morphological prediction functions for South African club championship cricket players. *African Journal for Physical, Health Education, Recreation and Dance*, 6:1, 65-74..

- De Ridder, J.H., Smith, E., Wilders, C. and Underhay, C. (2003). Sexual dimorphism in elite middle-distance runners: 1995 All-African Games (Project HAAGKIP). In H. de Ridder and T. Olds (Eds.). *Kinanthropometry 7*, pp. 57-75. Potchefstroom, SAF: Potchefstroom University for Christian Higher Education.
- De Ridder, J.H., Van Der Walt, T.S.P. and Carter, J.E.L. (1995). Los somatotipos de escolares Sudafricanos Jugadores de rugby de elite. (The somatotypes of elite South African schoolboy rugby players.) In C. Garcia Lopez (Ed.), *Actas del Congreso Ceintifico Olimpico 1992, Biomecanica y Cineantropometria*, Vol. V, pp. 292-301. Malaga, Spain: Instituto Andaluz del Deporte.
- Diaz Gamboa, J. and Fuentes Heinrich, E. (1996). Composición corporal y somatotipo de infantes Aymara que habitan en el altiplano del norte de Chile. (Body composition and somatotype of children with Aymara ancestry, living in the high plateau of northern Chile.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 41: 87-95.
- Dixson BJ, Dixson AF, Bishop PJ, Parish A. (2010). Human physique and sexual attractiveness in men and women: a New Zealand-U.S. comparative study. *Arch Sex Behaviour*. Jun;39(3): 798-806.
- Dolezych B., Laszczyca P. (2001). Somatotype According to Sheldon Using the Heath & Carter Method. sheldon.mcd. Mathcad files/Biology 8/01. http://www.mathcad.com/resources/mathcad_files/
- Dominguez L., M. and Lehyt M., L. (1994). Entrenamiento de movilidad y flexibilidad articular en mujeres adultos sedentarias: Impacto en su potencia aeróbica máxima y variables kineantropométricas. (Joint mobility and flexibility training in adult sedentary women: effects on the maximum aerobic power and kinanthropometric variables.). *Archivos de la Sociedad Chilena de Medicina del Deporte*, 39: 91-96.
- Doran, D.A., Chantler, P., Jones, S. and Leatt, P. (2003). Anthropometric and somatotype characteristics of HIV+ lipodystrophic individuals undergoing 'Haart' therapy. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 27, pp. 283-294. London: Routledge.
- Doran, D.A., Donnelly, J.P. and Reilly, T. (2003). Kinanthropometric and performance characteristics of Gaelic games players. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 17, pp. 181-191. London: Routledge.
- Duncan, M.J., Woodfield, L. and al-Nakeeb Y. (2006). Anthropometric and physiological characteristics of junior elite volleyball players. *Br J Sports Med*; Jul;40(7):649-51; discussion 651.
- Duquet, W., Borms, J., Hebbelinck, M., Day, J.A.P. and Cordemans, P. (1993). Longitudinal study of the stability of the somatotype in boys and girls. In W. Duquet and J.A.P. Day (Eds.), *Kinanthropometry IV*, pp. 54-67. London: E. & F.N. Spon.
- Duquet, W. and Carter, J.E.L. (2009). Somatotyping. In: R. Eston and T. Reilly (Eds.), *Kinanthropometry and Exercise Physiology Laboratory Manual: Tests, procedures and data*. Vol. 1, Anthropometry. 3rd Ed., (Chapt. 2, pp. 54-72.) Abingdon, UK: Routledge.
- Eiben, O.G. (1990). An anthropological sketch on the Hungarian centenarians. *Coll. Antropol.* 14:2; 219-225.
- Eiben, O.G. and Bodzsar, E.B. (1990). Measurable constitutional characters and selective survival in Hungarian centenarians. Beregi, E. (ed.): *Cetenarians in Hungary. A Social and Demographic Study*. Interdiscipl. Top Gerontol. Basel, Karger. vol 27, 31-39.
- Eiben, O. and Nemeth, A. (2001). Somatotypes of Budapest children. In P. Dasgupta and R. Hauspie (Eds.). *Perspectives in Human Growth, Development and Maturation*. Ch. 23, pp. 301-312. Dordrecht, Netherlands: Kluwer Academic Publishers.

- Eisenman, R. (1993). The body type/temperament mismatch and self-actualization. Psychological Reports, 73:3, 942.
- Emeterio CA, González-Badillo JJ. (2010). The physical and anthropometric profiles of adolescent alpine skiers and their relationship with sporting rank. J Strength Cond Res. Apr;24(4): 1007-12.
- Esparaza Ros, F. and Alvero, J.R., (1993). Somatotipo. In F. Esparza Ros (Eds), Manual De Cineantropometria (pp. 67-93). Madrid: Monografias FEMEDE.
- Fefelova IuA. (2010). [[The change in lipid spectrum in blood serum in girls of different somatotypes after meals](#)]. Russian. Fiziol Cheloveka. Jan-Feb;36(1):119-24.
- Emeterio CA, González-Badillo JJ. (2010). The physical and anthropometric profiles of adolescent alpine skiers and their relationship with sporting rank. J Strength Cond Res. Apr;24(4):1007-12.
- Fonseca-Toledo C, Roquette P, Fernandes-Filho J. (2010). [[Anthropometrical profile of Brazilian junior volleyball players for different sports requirement levels](#)]. Portuguese. Rev Salud Publica (Bogota). Dec;12(6):915-28.
- Fragoso, I., Fortes, M., Vieira, F. and Canto e Castro, L. (2003). Identifying Maturational Levels During Adolescence: A Methodological Problem. In T. Reilly and M. Marfell-Jones (Eds.). Kinanthropometry VIII, Ch. 7, pp. 69-81. London: Routledge.
- Fritzsche J, Raschka C. (2007). [Sports anthropological investigations on somatotyping of elite karateka]. German. Anthropol Anz. Sep;65(3):317-29.
- Friyadi, Tedy. (2008). Anthropometric Profile, Proportionality and Body Composition of West Java Elite Bodybuilders Which Prepare for Pekan Olahraga Nasional (PON)XVII in Kalimantan Timur (KALTIM). Thesis (Master of Sport Education). Indonesia University of Education: Bandung.
- Fry, A.C., Ryan, A.J., Schwab, R.J., Powell, D.R. and Kraemer, W.J. (1991). Anthropometric characteristics as discriminators of body-building success. Journal of Sports Sciences, 9, 23-32.
- Gabbett T.J. (2009). Physiological and anthropometric correlates of tackling ability in rugby league players. J Strength Cond Res. Mar;23(2): 540-8.
- Galati, T.P. (1996). Physiques of female gymnasts, swimmers and controls, aged 10-14 years. M.A. thesis, San Diego State University, San Diego, CA.
- Gardner, R.M. and Tockerman, Y.R. (1994). A computer-TV video methodology for investigating the influence of somatotype on perceived personality traits. Journal of social behaviour and personality. 9:3, 555-?.
- Garganta, J., Maia, J. and Pinto, J. (Year?) Somatotype, body composition and physical performance capacities of elite young soccer players. (SOURCE NOT KNOWN) pp. 293-295.
- Gaur R, Maurya M, Kang PS. (2008). Sex, age and caste differences in somatotypes of Rajput and scheduled caste adolescents from the Sirmour District of Himachal Pradesh, India. Anthropol Anz. Mar;66(1): 81-97.
- Gaur, R., and Pal Singh, R. (1997). Age differences in somatotypes of Garhwali males 17-60 years of Age. American Journal of Human Biology, 9 (3), 285-290.
- Gaur, R., and Sarkar, P. (1998) Somatotypes of North Indian children with thalassemia major. ACTA Medica Auxologica, 30 (2), 89-95.

Gavilan C., A. and Godoy P., J. de D. (1994). Las categorías de peso en el Judo y el levantamiento olímpico de pesas. Su efecto en el somatotipo y la composición corporal. (The weight categories of judo and olympic weightlifting. Its effect in the somatotype and the body composition.) Archivos de la Sociedad Chilena de Medicina del Deporte, 39: 102-106.

Genovese J.E, Little KD. (2011). Mesomorphy correlates with experiential cognitive style. J Genet Psychol. 2011 Oct-Dec;172(4):433-9.

Geok, Soh Kim. (2005). Anthropometric profiles of Malaysian netball players. African Journal for Physical, Health Education, Recreation and Dance, 11:4; 464-471.

Ghosh S, Malik SL. (2010). Variations of body physique in Santhals: an Indian tribe. Coll Antropol. Jun;34(2): 467-72.

Gil SM, Gil J, Ruiz F, Irazusta A, Irazusta J. (2007). Physiological and anthropometric characteristics of young soccer players according to their playing position: relevance for the selection process. J Strength Cond Res. May;21(2): 438-45.

Gobbo, L.A., Papst, R.R., Carvalho, F.O., Souza, C.G., Cuattrin, S.A. and Cyrino, E.S. (2002). Perfil antropométrico de selaçao brasileira de canaogem. (Anthropometric profile of the Brazilian National Canoeing Team.) Revista Brasileira de Ciência e Movimento, 10:1, 7-12.

Godina E, Khomyakova I, Purundzhan A, Tretyak A, Zadorozhnaya L. (2007). Effect of physical training on body composition in Moscow adolescents. J Physiol Anthropol. Mar;26(2): 229-34.

Godoy P., J. de D. and Barcos S., M. (1995). Potencia aeróbica máxima, somatotipo y composición corporal de niñas escolares de 4 a 11 años de edad, de nivel socioeconómico bajo. (Maximal aerobic power, somatotype and body composition of school girls of low socioeconomic level.) Archivos de la Sociedad Chilena de Medicina del Deporte, 40: 21-28.

Godoy P., J. de D. and Grifferos Caceres, T. (1994). Variabilidad de factores kineantropométricos intra e inter-niveles de la enseñanza media. (Variability of kinanthropometric factors within and between levels in the middle school.) Archivos de la Sociedad Chilena de Medicina del Deporte, 39: 66-76.

Godoy P., J. de D., Ugarte S., J., Donoso V., V., Zupeuc S., F., Herrera F., A. and Valle S., A. (1994). Somatotipos de escolares varones Chilenos: Cambios con el crecimiento. (Seguimiento de cohortes y estudios transversales durante 5 años.) Archivos de la Sociedad Chilena de Medicina del Deporte, 39: 119-134.

Godinho, M., Fragoso, I. and Vieira, F. (1996). Morphologic and anthropometric characteristics of high level Dutch korfball players. Perceptual and Motor Skills, 82: 35-42.

Goncalves, H.R., Oseiki, R., Tsuneta, P. and Zamberian, E. (1991). Parametros antropometricos, matabolicos e motores em handebolistas de alto nivel. Revista Brasileira de Ciencia & Movimento, 5, 1, 55-59.

Goulding, M.E.R. (2001). The development of somatotype calculation and analysis software. Honours Thesis, University of South Australia, Underdale, SA, Australia.

Goulding, M. (2002). Somatotype – Calculation and Analysis. (CD-Rom software program.) Sweat Technologies, Mitchell Park, South Australia.

Gualdi-Russo, E. and Graziani, I. (1993). Anthropometric somatotype of Italian sport participants. J. of Sports Medicine and Physical Fitness, 33:3, 282-?

Grasgruber, P. and Cacek, J. (2008) Sportovní Geny. Brno: Computer Press, a.s.

- Hebbelinck, M., Duquet, W., Borms, J. and Carter, L. (1995). Stability of somatotypes: a longitudinal growth study in Belgian children followed from 6 to 17 years. American Journal of Human Biology, 7:575-588.
- Herrera R.O. (1994). Efectos de la práctica del basquetbol en el somatotipo y la composición corporal de escolares varones. (Basketball practice effects on the somatotype and the body composition of school boys.) Archivos de la Sociedad Chilena de Medicina del Deporte, 39: 97-101.
- Hopper DM. (1997). Somatotype [in high performance female netball players may influence player position and the incidence of lower limb and back injuries.](#) Br J Sports Med. Sep;31(3):197-9.
- Holway, F.E. and Garavaglia, R. (2009) Kinanthropometry of Group I rugby players in Buenos Aires, Argentina. Journal of Sports Sciences, 27:11; 1211-1220.
- Igbokwe, N.U. (1991). Somatotypes of Nigerian power athletes. J. of Sports Medicine and Physical Fitness. 31:3, 439-?.
- Ji, C-Y., Ohsawa, S. (1996). Changes in somatotype during growth in Chinese youth 7-18 years of age. American Journal of Human Biology, 8: 347-359.
- Jürimäe, T. and Jürimäe, J. (2001). Growth, Physical Activity, and Motor Development in Prepubertal Children. Boca Raton, FL.: CRC Press.
- Jürimäe, J., Jürimäe, T., Leppik, A. and Hussar, V. (2001). Relationships between anthropometric variables and physical activity in prepubertal girls. Journal of Human Kinetics. 5: 13-21.
- Katzmarzyk, P.T., Malina, R.M., Song, T.M.K. and Bouchard, C. (1998). Somatotype and Indicators of Metabolic Fitness in Youth. American Journal of Human Biology, 10 (3), 341-350.
- Kakitsuba N, Mekjavić IB, Katsuura T. (2009). Individual variability in the core interthreshold zone as related to body physique, somatotype, and physical constitution. J Physiol Anthropol. Nov;28(6): 275-81.
- Kaul, S., Karir, B.S. and Handa, N. (1996). Somatotype variations in India. In: L.S. Sidhu and S.P. Singh (Eds.), Human Biology - Global Developments, pp. 61-82. Ludhiana, India: USG Publishers & Distributors.
- Kaul, S.S., Karir, B.S. and Monika. (1994). Parent-Daughter somatotype similarities among the Punjab adolescent girls in Chandigarh. In O.G. Eiben (Ed.), Auxology '94, Children and Youth at the end of the 20th Century, pp. 415-418. Humanbiologia Budapestensis, 25.
- Keogh, J.W., Hume, P.A., Pearson, S.N. and Mellow, P. (2007). Anthropometric dimensions of male powerlifters of varying body mass. J. Sports Sciences, 25(12), 1365-76.
- Keogh, J.W.L., Hume, P.A., Pearson, S.N. and Mellow, P. (2008). To what extent does sexual dimorphism exist in competitive powerlifters? Journal of Sports Sciences, 36:3, 531-541.
- Kerr, D.A., Ross, W.D., Norton, K., Hume, P.A., Kagawa, M. and Ackland, T.R. (2007) Olympic lightweight and open-class rowers possess distinctive physical and proportionality characteristics. Journal of Sports Sciences, 25:1; 43-53.
- Kakitsuba N, Mekjavić IB, Katsuura T. (2009). [Individual variability in the core interthreshold zone as related to body physique, somatotype, and physical constitution.](#) J Physiol Anthropol. Nov;28(6):275-81.
- Khanna, G.L., Saha, M. and Majumdar, P. (1993). Physiological effect of three months training on Indian national volleyballers. Indian Journal of Sport Science and Physical Education, 5, 2, 67-73.
- Kieffer, S., Carter, L., Held-Sturman, M., Patterson, P., and Carlson, R. (2000). Physique characteristics of USA national and university level rugby players. In: K. Norton, T. Olds and J. Dollman (Eds.), Kinanthropometry VI: Proceedings of the Sixth Conference of the International Society for the Advancement of Kinanthropometry, (pp. 53-77). Adelaide, SA: International Society for the Advancement of Kinanthropometry.

- Kirby, W.J. and Reilly, T. (1993). Anthropometric and fitness profiles of elite female rugby union players. In T. Reilly (Ed.), *Science and Football*, II, pp. 27-30. London: E & FN Spon.
- Koleva M, Nacheva A, Boev M. (2000). Somatotype, nutrition, and obesity. Rev Environ Health. Oct-Dec;15(4):389-98.
- Kolpakov VV, Bespalova TV, Bragin AV, Lebedeva KA, Tomilova EA, Vesnina TA. (2009). [The concept of typological variability of physiological individuality: II. Somatotype heterogeneity of population groups differing in habitual physical activity]. Russian. Fiziol Cheloveka. 2009 Jan-Feb;35(1):75-83.
- Kopriva, J. and Cechovsky, K. (1990). Determination of Heath-Carter somatotype and somatotype dispersion index using a computer. *Anthropologe* XXVIII, 1, 31-33.
- Kruger, A., De Ridder, J.H., Grobelaar, H.W. and Underhay, C. (2006) A kinanthropometric profile and morphological prediction functions of elite international male javelin throwers. In; Marfell-Jones, M., Stewart, A. and Olds, T. Kinanthropometry IX, pp. 39-51. Oxford: Routledge.
- Lailhacer A., C., Marin H., M. and Godoy P., J. de D. (1994). Efectos de un programa de entrenamiento con pesas en la composición corporal y somatotipo de dama escolares de 16-18 años. (Effects of a power weight training program in the body composition and somatotype of adolescent school girls.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 39: 140-147.
- Lago-Peña C, Casais L, Dellal A, Rey E, Domínguez E. (2011). Anthropometric and physiological characteristics of young soccer players according to their playing positions: relevance for competition success. J Strength Cond Res. Dec;25(12).
- Landers GJ, Ong KB, Ackland TR, Blanksby BA, Main LC, Smith D. (2013). Kinanthropometric differences between 1997 World championship junior elite and 2011 national junior elite triathletes. J Sci Med Sport. Sep;16(5):444-9.
- Lee AJ, Lin WH. (2007). The influence of gender and somatotype on single-leg upright standing postural stability in children. *J Appl Biomech*. Aug;23(3): 173-9.
- Leake, C.N. and Carter, J.E.L. (1991). Comparison of body composition and somatotype of trained female triathletes. *Journal of Sports Sciences*, 9, 125-135.
- Leonardo Mendonça RC, Sospedra I, Sanchis I, Mañes J, Soriano JM. (2012). [Comparison of the somatotype, nutritional assessment and food intake among university sport and sedentary students]. Med Clin (Barc). Jun;139(2):54-60.
- Lewandowska J, Buško K, Pastuszak A, Boguszewska K. (2011). Somatotype variables related to muscle torque and power in judoists. J Hum Kinet. Dec;30:21-8
- Linhares RV, Matta Mde O, Lima JR, Dantas PM, Costa MB, Fernandes Filho J. (2009). [Effects of sexual maturation on body composition, dermatoglyphics, somatotype and basic physical qualities of adolescents]. Portuguese. *Arq Bras Endocrinol Metabol*. Feb;53(1): 47-54.
- Lizana Arce P, Almagiâ Flores A, Simpson Lelievre C, Ivanovic Marincovic D, Binvignat Gutiérrez O, Berral de la Rosa F. (2012). Changes of somatotype in high school students, V region, Chile: 1985-2010. *Nutr Hosp*. Jan-Feb;27(1):270-5.
- Lopato, M., Montgomery, D.L. and Batista, W.C. (1990). Efeito Da massa e composición corporal sobre a producto de potencia media no test do wingate. *Revista Brasileira de Ciencia e Movimento*, 4:3, 7-12.

- Maestre López, M.I., Ordaz Romay, E. and Méndez de Pérez, B. (2009) Estudio de la forma corporal, Somatotipo. In: Ma. D. Cabanas y F. Esparza (Eds), Compendio de Cineantropometria, Ch. 7, 119-157. Madrid: CTO Editorial.
- Makgae, P.J., Monyeki, K.D., Brits, S.J., Kemper, H.C. and Mashita, J. (2007). Somatotype and blood pressure of rural South African children aged 6-13 years: Ellisras longitudinal growth and health study. Ann Hum Biol. Mar-Apr; 34(2): 240-51.
- Makgae, P.J., Motloko, G.I., Mashita, J. and Monyeki, K.D. (2006). Physique and physical fitness of rural South African primary school netball players and non-netball players: Ellisras longitudinal study. Journal of Physical Education and Recreation (Hong Kong), 12:2, 45-51.
- Malina, R.M. (2006). Growth and maturation of child and adolescent track and field athletes. [Crescita e maturazione de bambini ed adolescenti praticanti atletica leggera.] In English and Italian. Federazione Italiana de Atletica Leggera: Roma.
- Malina RM. (2012). Professor James M. Tanner and the sport sciences. Ann Hum Biol. 2012. Sep;39(5):372-81.
- Malina, R.M., Battista, R.A. and Siegel, S.R. (2002). Anthropometry of Adult Athletes: Concepts, Methods and Applications. In J.A. Driskell and I. Wolinsky (Eds.), Nutritional Assessment of Athletes, Ch. 7, pp. 135-175. CRC Press: Boca Raton.
- Malina, R.M., Bouchard, C. and Bar-Or, O. (2004) Development of Physique. In: Growth, Maturation, and Physical Activity, 2nd Ed. Ch. 4. Champaign, IL: Human Kinetics.
- Malina, R.M., Katzmarzyk, P.T., Song, T.M.K., Theriault, G. and Bouchard, C. (1997). Somatotype and cardiovascular risk factors in healthy adults. American Journal of Human Biology, 9, 11-19.
- Malina, R.M., Merrett, D.M.S., Bonci, C.M., Ryan, R.C. and Wellens, R.E. (1996). Relationship between androgyny and somatotype in female athletes and non-athletes. In: L.S. Sidhu and S.P. Singh (Eds.), Human Biology - Global Developments, pp. 27-37. Ludhiana, India: USG Publishers & Distributors
- Malousaris GG, Bergeles NK, Barzouka KG, Bayios IA, Nassis GP, Koskolou MD. (2008). Somatotype, size and body composition of competitive female volleyball players. J Sci Med Sport. 2008 Jun;11(3):337-44.
- Marfell-Jones, M.J. (1993). World Underwater Hockey Anthropometric Project, 1992. Report to Hillary Commission Sport Science Research and Development Programme and Central Institute of Technology, New Zealand.
- Marrin, K. and Bampouras, T.M. (2008). Anthropometric and physiological characteristics of elite female water polo players. In: M. Marfell-Jones and T. Olds (Eds.), Kinanthropometry X, pp. 151-163. Abingdon, UK: Routledge.
- Marta C, Marinho DA, Costa AM, Barbosa TM, Marques MC. (2011). Somatotype is More Interactive with Strength than Fat Mass and Physical Activity in Peripubertal Children. J Hum Kinet. Sep;29A:83-91.
- Martínez S, Pasquarelli BN, Romaguera D, Arasa C, Tauler P, Aguiló A. (2011). Anthropometric Characteristics and Nutritional Profile of Young Amateur Swimmers. J Strength Cond Res. Apr;25(4):1126-33.
- Mazza, J.C., Cosolito, P., Alarcon, N., Galasso, G., Bermudez, C., Gribaudo, G. and Ferretti, J.L. (1992). Somatotype profile of South American Swimmers. In: D. MacLaren, T. Reilly and A. Lees (Eds.), Biomechanics and Medicine in Swimming; Swimming Science VI, 371-378.

- Milne, D. C. (1996). Comparison of somatotypes, body composition and age at menarche of age-group and Olympic swimmers. In É. B. Bodzsár & C. Susanne (Eds.), *Studies in Human Biology* (pp. 303-309). Budapest, Hungary: Eötvös University Press.
- Milne, C. (1990). Comparison of somatotypes, body composition and age at menarche of age-group and Olympic swimmers. *Journal of Sports Sciences*, 8, (Abstract) 162-163.
- Mladenova S, Nikolova M, Andreenko E, Boyadzhiev D. (2010). Somatotypological characterization of Bulgarian children and adolescents (Smolyan region). *Coll Antropol*. 2010 Sep;34(3):963-71.
- Modiba, L.P., Monyeke, K.D., Du Plessis, L.A.S. and De Ridder, J.H. (1994). Somatotypes of University of the North soccer and volleyball players. In L.O. Amusa (Ed.), *Health, Physical Education, Recreation, Sport and Dance in Africa*, Proceedings of the 1st Africa Regional Conference on Physical Recreation and Dance, pp. 237-242. Gaborone, Botswana: AFAHPER-SD.
- Mokha, R., Kaur, G., Sidhu, L.S. and Singh, J. (1991). Physique and body composition of university level female Kabaddi players. *Indian Journal of Sport Science and Physical Education*, 3, 1, 7-9.
- Mokha, R., Kaur, G., Singh, J. and Sidhu, L.S. (1993). Intersportive differences in physique and body composition of university female players. *Indian Journal of Sport Science and Physical Education*, 5, 2, 84-92.
- Monsma, E.V. and Malina, R.M. (2005). Anthropometric characteristics and somatype in competitive female figure skaters: Variation across competitive level and skating discipline. *Journal of Sports Medicine and Physical Fitness*, 45.
- Monsma, E.V., Malina, R.M. and Feltz, D.L. (2006). Puberty and physical self-perceptions of competitive female figure skaters: An interdisciplinary Approach. *Research Quarterly for Exercise and Sport*, 77:2; 158-166.
- Monsma, E.V., Pfeiffer, K.A. and Malina, R.M. (2008) Relationship of social physique anxiety to indicators of physique. *Research Quarterly for Exercise and Sport*, 79:3, 417-422.
- Monyeki, D.K. (1996). Somatotypes of university academic staff. *African Journal for Physical, Health Education Recreation and Dance*, 2 (1), 80-88.
- Monyeki, K.D. (2002). Somatype and Sport: Aspirations for Sports Development. In L.O. Amusa and A.L. Toriola (Eds.), *Sport in Contemporary African Society: An Anthology*. South Africa: Xxxxx?
- Monyeki, K.D., Amusa, L.O., and Toriola, A.L. (1996). Somatotypes of Ellisras rural community children aged 3 to 10 years. *African Journal for Physical, Health Education Recreation and Dance*, 5 (1), 12-19.
- Monyeki, K.D., Amusa, L.O., Dhaliwal, H.S., Toriola, A.L. and Monyeki, M.A. (2001). Somatype of physical education students in Botswana. *Journal of Physical Education and Recreation (Hong Kong)*, 7:1, 49-54.
- Monyeki, K.D., Amusa, L.O., Toriola, A.L., Wekesa, M. and De Ridder, J.H. (1998). Somatotypes of elite female basketball and handball players at the 6th All-Africa games. *African Journal for Physical, Health Education Recreation and Dance*, 4 (1), 1-7.
- Monyeki, K.D., De Ridder, J.H. and Pienaar, A.E. (1994). A morphological profile of 7 to 19 years old northern Sotho boys and girls. In L.O. Amusa (Ed.), *Health, Physical Education, Recreation, Sport and Dance in Africa*, Proceedings of the 1st Africa Regional Conference on Physical Recreation and Dance, pp. 265-272. Gaborone, Botswana: AFAHPER-SD.
- Monyeki, K.D., Makgae, P.J., Mashita, J. and Kemper, H.C.G. (2008) Relationship between physique, under nutrition, physical fitness and blood pressure of boys aged 6 to 14 years: Ellisras Longitudinal Growth and Health Study. *African Journal for Physical, Health Education, Recreation and Dance*, 14:3; 310-325.

- Monyeki, K.D., Monyeki, M.A., Toriola, A.L., Makgae, J.S., de Ridder, H.J., Themane, M.J. and Amusa, L.O. (2005). Somatic characteristics and cardiovascular function in stunted rural South African girls aged 8 to 14 years: Ellisras Longitudinal Growth and Health Study. African Journal for Physical, Health Education, Recreation & Dance, 11:3; 249-268 (errors in somatotype).
- Monyeki, K.D. and Toriola, A.L. (1996). Physique of male volleyball players in the Northern Province of South Africa. African Journal for Physical, Health Education Recreation and Dance, 2 (2), 102-108.
- Monyeki, K.D., Toriola, A.L., De Ridder, J.H., Kemper, H.C.G., Steyn, N.P., Nthangeni, M.E., Twisk, J.W.R. and Van Lenthe, F.J. (2002). Stability of somatotypes in 4 to 10 rural South African girls. Annals of Human Biology, 29:1, 37-49.
- Mozumdar A, Roy SK. (2008). Somatotype of the individuals with lower extremity amputation and its association with cardiovascular risk. Anthropol Anz. Mar;66(1): 99-116.
- Morgan PJ, Callister R. (2010). Effects of a Preseason Intervention on Anthropometric Characteristics of Semiprofessional Rugby League Players. J Strength Cond Res. Apr 9.
- Muñoz-Cachón MJ, Salces I, Arroyo M, Ansotegui L, Rocandio AM, Rebato E. (2007). Body shape in relation to socio-economic status in young adults from the basque Country. Coll Antropol. Dec;31(4):963-8.
- Nevill, A., Holder, R. and Watts, A. (2009) The changing shape of “successful” professional footballers. Journal of Sports Sciences, 27:5; 419-426.
- Nikolaidis PT, Vassilios Karydis N. (2011). Physique and body composition in soccer players across adolescence. Asian J Sports Med. Jun;2(2):75-82.
- Nowaczyk MJ. (2011). Ectomorphic body habitus, microcephaly, developmental delay with characteristic facial phenotype: a new entity? Clin Dysmorphol. Oct;20(4):200-4.
- Olds, T. (2003). Extreme physiques. In H. de Ridder and T. Olds (Eds.). Kinanthropometry 7, pp. 9-33. Potchefstroom, SAF: Potchefstroom University for Christian Higher Education.
- Olson, H.W., Sprague, H.A., Van Huss, W.D. and Montoye, H.J. (1990). Somatotype and longevity of former university athletes and nonathletes. Research Quarterly for Exercise and Sport, 61, 1, 1-6.
- Orhan O, Sagir M, Zorba E. (2013). Comparison of somatotype values of football players in two professional league football teams according to the positions. Coll Antropol. Jun;37(2):401-5.
- Ortega de Mancera, A. (1992). Características Somatotípicas de una población escolar de la Costa Venezolana. III Congreso Latinoamericano de Antropología Biológica. Septiembre 1992. Villa de Leiva Colombia
- Ortega de Mancera, A. (1994). Determinación del Somatotipo Antropométrico en una Muestra de Niños Provenientes de una Zona Marginal de Caracas: I Desnutridos por el Indicador Talla/Edad. Unpublished manuscript, Instituto de Investigaciones Económicas y Sociales. Universidad Central de Venezuela.
- Ortega de Mancera, A. (1994). El Somatotipo de los Niños de la Vega. . Universidad Central de Venezuela. Vol 7: 5-12.
- Ortega de Mancera, A. (1996). El somatotipo de un Grupo de Escolares de la Poblacion de Choroni. Unpublished manuscript, Universidad Central de Venezuela.
- Orvanova, E. (1990). Somatotypes of weight lifters. Journal of Sports Sciences, 8, 119-137.

- Orvanova, E. (1990). Age group comparisons in body size and shape among elite male and female weight throwers. *Journal of Sports Sciences*, 8, (Abstract) 160-161.
- Owolabi, E.O. and Makpu, D.E.K. (1994). Body composition and somatotype of professional Nigerian division one male soccer and basketball players. In L.O. Amusa (Ed.), *Health, Physical Education, Recreation, Sport and Dance in Africa*, Proceedings of the 1st Africa Regional Conference on Physical Recreation and Dance, pp. 279-286. Gaborone, Botswana: AFAHPER-SD.
- Ozener B, Duyar I. (2008). The effect of labour on somatotype of males during the adolescent growth period. *Homo*, 59(2):161-72.
- Ozkan A, Kayihan G, Köklü Y, Ergun N, Koz M, Ersöz G, Dellal A. (2012). The relationship between body composition, anaerobic performance and sprint ability of amputee [soccer players](#). *J Hum Kinet*. Dec;35:141-6.
- Pacheco del Cerro, J.L., (1992). Análisis antropométrico de los velocistas y vallistas de élite españoles. *Archivos de Medicina del Deporte*, 9 (33), 89-94.
- Pacheco del Cerro, J.L. (1993). Antropometría de los atletas Espanoles de elite. Tesis doctoral. Madrid: Universidad Complutense de Madrid.
- Pacheco, J.L., Rosique, J. and Rebato, E. (1990). A somatotypical study of the geographic variations between two Spanish populations. *Anthrop. Anz.*, 48 (3), 279-287.
- Pailhez G, Rodríguez A, Ariza J, Palomo AL, Bulbena A. (2009). [\[Somatotype and schizophrenia. A case-control study\]](#). Spanish. *Actas Esp Psiquiatr*. Sep-Oct;37(5):258-66.
- Pandey, A.K. and Malik, S.L. (1990). Anthropometric somatotype of Bod girls: A comparison of high and low altitude populations. *American Journal of Human Biology*, 2;5, 467-473.
- Papai, J., Bodzsar, E.B. and Szabo, T. (1998?). Mass fractions, somatotype, and maturity status in athletic boys. In O.G. Eiben (Ed.), *Auxology '94, Children and Youth at the end of the 20th Century*, pp. 515-519. Humanbiologia Budapestinensis, 25.
- Pelin C, Kürkçüoğlu A, Ozener B, Yazici AC. (2009). Anthropometric characteristics of young Turkish male athletes. *Coll Antropol*. Dec;33(4):1057-63.
- Pena Reyes, M.E., Cardenas-Barahona, E. and Malina, R.M. (1994). Growth, physique, and skeletal maturation of soccer players 7-17 years of age. In O.G. Eiben (Ed.), *Auxology '94, Children and Youth at the end of the 20th Century*, pp. 453-458. Humanbiologia Budapestinensis, 25.
- Peréz, B.M. and Landaeta-Jiminéz, M. (Eds.), (2004). *Perfil biológico y nutricional de los nadadores del estado Miranda*. Caracas: Ediciones del Vicerrectorado Académico, UCV.
- Philippaerts, R.M., Claessens, A.L., ten Brinke, J.M., van der Scheer, D.G., Beunen, G.P. and Lefevre, J.A.V. (1996). Nutritional habits in body composition, somatotype, physical activity and cardio-respiratory fitness in male and female physical education students. *Acta Kinesiologiae Universitatis Tartuensis*, 1: 5-22.
- Pieter, W., Palabrica, J.M. and Bercades, L.T. (1998). Physique of national elite female filipino judo athletes. *Acta Kinesiologiae Universitatis Tartuensis*, 3: 49-58.
- Pinto Guedes, D. and Pinto Guedes, J.E.R. (1999). Somatotipo de crianças e adolescentes do município de Londrina – Parana – Brazil. *Revista Brasileira de Cineantropometria & Desempenho Humano*. 1:1, 7-17.
- Poliszczuk T, Broda D. (2010). Somatic constitution and the ability to maintain dynamic body equilibrium in girls practicing rhythmic gymnastics. *Pediatr Endocrinol Diabetes Metab*. 16(2):94-9.

- Porta Manzañido, J. (1999). Cuantificación y distribución del tejido adiposo en deportistas por resonancia magnética nuclear. Análisis comparativo con diversos métodos de valoración de la composición corporal. Tesis doctoral. Barcelona: Universidad de Barcelona.
- Powell, L.A. (1991). Physique and performance characteristics of elite male and female volleyball players. M.A. thesis, San Diego State University, San Diego.
- Radev, A.I. (1994). Somatotype and proportionality of body mass in men and women. Comptes rendus de l'Academie bulgare des sciences: sciences mathematiques et naturelles, 47:1, 129-?.
- Radev, A.I. (1995). Somatotype and correlation dependence between the proportional body mass and z-values of some anthropometric parameters in women. Comptes rendus de l'Academie bulgare des sciences: sciences mathematiques et naturelles, 48:7, 119-?.
- Rankin, P.L. (1991). Physiques of male elite track cyclists. M.A. thesis, San Diego State University, San Diego.
- Raschka C, Wolthausen C. (2007). [Comparison of somatotype differences of soccer and handball players based on the methods of German and Anglo-American schools of constitutional biology] German. Anthropol Anz. Sep;65(3): 303-16.
- Raudsepp, L., and Jurimae, T. (1996). Somatotype and physical fitness of prepubertal children. Collegium Antropologicum, 20: (1), 53-59.
- Rebato, E. (1994). Variaciones del somatotipo con la actividad física en adolescentes bilbainos. Datos preliminares. Kobie (Serie Ciencias Naturales), Bilbao, XXII, 33-40.
- Rebato E, Jelenkovic A, Salces I. (2007). Heritability of the somatotype components in Biscay families. Homo. 58(3):199-210.
- Rebato, E. and Rosique, J. (1994). Morfología corporal y estructura somatotípica en población vasca. Cuadernos do Sección. Antropología-Etnografía, 11, 241-258.
- Rebato, E., Rosique, J. and González Apraiz, A. (1996). Somatotypes of 14 to 19 years old urban boys and girls from Bilbao (Basque Country). Anthropol. Anz., 54 (2), 135-147.
- Reilly, T. (2008) The international face of sports science through the window of the *Journal of Sports Sciences* – with special reference to kinanthropometry. Journal of Sports Sciences, 36:4; 349-363.
- Reilly, T. and Doran, D. (2001). Science and Gaelic football: A review. Journal of Sports Sciences, 19, 181-193.
- Rempel, R. (1994). A modified somatotype assessment methodology. M.Sc. thesis, Simon Fraser University, Burnaby, B.C. Canada.
- Reis VM, Machado JV, Fortes MS, Fernandes PR, Silva AJ, Dantas PS, Filho JF. (2007). Evidence for higher heritability of somatotype compared to body mass index in female twins. J Physiol Anthropol; Jan;26(1):9-14.
- Riegerova, J. (1993). Changes of the somatotype of children in puberty (in Czech). In P. Blaha and V. Vancata (Eds.), Dr. Ales Hrdlicka and anthropology in 1993. pp. 49-51. Prague: Charles University.
- Riegerova, J. and Pavelkova, L. (1993). The body structure and the risk of cardiovascular diseases. In P. Blaha and V. Vancata (Eds.), Dr. Ales Hrdlicka and anthropology in 1993. pp. 109-112. Prague: Charles University.
- Rienzi, E., Mazza, J.C., Carter, J.E.L. and Reilly, T. (Eds.) (1996). Futbolista Sudamericano de Elite: Morfología, Análisis de Juego y performance. Rosario: Biosystem Servicio Educativo.
- Rienzi, E., Reilly, T., and Malkin, C. (1999). Investigation of anthropometric and work-rate profiles of Rugby Sevens players. J. Sports Medicine and Physical Fitness. 39: (2), 160-164.

- Rienzi, E., Drust, B., Reilly, T., Carter, J.E.L., and Martin, A. (2000) Investigation of anthropometric and work-rate profiles of élite South American international soccer players. *J. Sports Medicine and Physical Fitness*, 40: 162-169.
- Rienzi, E., Pérez, M., Stefani, M., Maiuri, C. and Rodríguez, G. (2003). Anthropometric characteristics of Rugby Sevens players: An evaluation during two consecutive international events. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 12, pp. 131-141. London: Routledge.
- Rivera MA, Suárez E. (1990). [The somatotype of Puerto Rican male athletes at the X Pan American Games: a brief descriptive report](#). *P R Health Sci J*. Dec;9(3):207-13.
- Rocha, M.A., Dourado, A.C. and Gonçalves, H.R.. (1996). Estudo do somatotipo da seleção Brasileira de voleibol nas categorias infanto-juvenil e juvenil - 1995. *Revista da Associação dos Professores de Educação Física de Londrina*, 11 (19), 21-30.
- Roll, B.H. (1994). Looking back on forty-five years of somatotype research. In O.G. Eiben (Ed.), *Auxology '94, Children and Youth at the end of the 20th Century*, pp. 409-413. Humanbiologia Budapestensis, 25.
- Rosique, J., Rebato, E., Gonzalez Apraiz, A. and Pacheco, J.L. (1994). Somatotype related to centripetal fat patterning of 8- to 19-year-old Basque boys and girls. *American Journal of Human Biology*, 6, 2, 171-181.
- Ross, W.D., Carr, R., and Carter, J.E.L. (1999) *Anthropometry Illustrated* (CD-Rom.). Surrey, CAN: Turnpike Electronic Publications, Inc.
- Sanchez-Andres, A. (1995). Genetic and environmental influence on somatotype components: a family study in a Spanish population. *Human Biology*, 67:5, 727-738.
- Sánchez-Muñoz C, Sanz D, Zabala M. (2007). Anthropometric characteristics, body composition and somatotype of elite junior tennis players. *Br J Sports Med*. Nov;41(11): 793-9.
- Saranga SP, Prista A, Nhantumbo L, Beunen G, Rocha J, Williams-Blangero S, Maia JA. (2008). Heritabilities of somatotype components in a population from rural Mozambique. *Am J Hum Biol*. Nov-Dec;20(6): 642-6.
- Satake, T., Morris, P.G., Danker-Hopfe, H. and Malina, R.M. (1993). Plotting somatotypes using SAS/GRAF. *American Journal of Human Biology*, 5, 2, 237-241.
- Semple, S., Neveling, N. and Roussouw, R. (2003). Physical and performance-related profile of elite male South African distance runners. *African Journal for Physical, Health Education, Recreation and Dance*, 9:2, 238-249.
- Sharma, S.S., Shukla, N.P.B. and Shukla, B.R.K. (1990). Physique of young top Indian hockey players in relation to their field of specialisation. *Indian Journal of Sport Science and Physical Education*, 2, 2, 88-96.
- Shirinde, M.J., Monyeke, K.D., Du Plessis, L.A.S. and De Ridder, J.H. (1994). Somatotypes of physical education students of the University of the North. In L.O. Amusa (Ed.), *Health, Physical Education, Recreation, Sport and Dance in Africa*, Proceedings of the 1st Africa Regional Conference on Physical Recreation and Dance, pp. 297-302. Gaborone, Botswana: AFAHPER-SD.
- Sibila M, Pori P. (2009). Position-related differences in selected morphological body characteristics of top-level handball players. *Coll Antropol*. Dec;33(4):1079-86.
- Siders W, Rue M. (1992). Reuleaux triangle somatocharts. *Comput Biol Med*. Sep;22(5):363-8.
- Siders, W.A., Lukaski, H.C. and Bolonchuk, W. (1993). Relationships among swimming performance, body composition and somatotype in competitive collegiate swimmers. *Journal of Sports Medicine and Physical Fitness*. 33:166-171.

- Siegel, S.R., Katzmarzyk, P.T. and Malina, R.M. (1996). Somatotypes of female soccer players 10-24 years of age. In É. B. Bodzsár & C. Susanne (Eds.), *Studies in Human Biology* (pp. 277-285). Budapest, Hungary: Eötvös University Press.
- Silva DA, Benedetti TR, Ferrari EP, Meurer ST, Antes DL, Silva AM, Santos DA, Matias CN, Sardinha LB, Vieira F, Petroski EL. (2012). Anthropometric profiles of elite older triathletes in the Ironman Brazil compared with those of young Portuguese triathletes and older Brazilians. *J Sports Sci.*;30(5):479-84.
- Singh, A.P. and Singh, S. P. (2006). Somatotypic Variations: An Analysis of Some Traditional Occupations. *Journal of Human Ecology, International Journal of Man and Environment Relationship.* 19(4):249-251.
- Singal, P. and Kaur, S. (1993). Physique and body composition of urban and rural Jat-Sikh girls of Punjab. *Indian Journal of Sport Science and Physical Education,* 5, 1, 47-49.
- Singh, I.P. and Bhasin, M.K. (2004). Somatotyping. In: I.P. Singh and M.K. Bhasin (Eds.) *A Manual of Biological Anthropology.* (Chapt. 9, pp. 253-256.)
- Sodhi, H.S. (1991). *Sports Anthropometry.* Mohali, India: ANOVA Publications.
- Soh, K.G., Soh, K.L., Fauzee, M.S.O., et al. (2008). Body fat and somatotype among Malaysian school sports council netball players by playing position. *African Journal for Physical, Health Education, Recreation and Dance,* 14:4; 456-462.
- Solokun, S.O. (1991). Perceived somatotype as related to self-concept in Nigerian adolescent high school students. *J. of Sports Medicine and Physical Fitness,* 31:4, 611-?.
- Solokun, S.O. (1994). Minimizing injury rates in soccer through preselection of players by somatotypes. *J. of Sports Medicine and Physical Fitness,* 34:1, 64-?
- Song, J.K., Claessens, A.L., Lefevre, J. and G. Beunen. (1994). The plasticity of human physique in adult men followed longitudinally from 18-35 years. In O.G. Eiben (Ed.), *Auxology '94, Children and Youth at the end of the 20th Century*, pp. 419-424. *Humanbiologia Budapestinensis*, 25.
- Song, T.M.K., Malina, R.M. and Bouchard, C. (1993). Familial resemblance in somatotype. *American Journal of Human Biology,* 5, 3, 265-272.
- Song, T.M.K., Perusse, L., Malina, R.M. and Bouchard, C. (1994). Twin resemblance in somatotype and comparisions with other twin studies. *Human Biology,* 66:3, 453-464.
- Spieser L, Clijsen R, Rucker AM, Cabri J, Clarys P. (2012). [Anthropometry of the Swiss junior and elite judo national team - a descriptive study]. German. *Sportverletz Sportschaden.* Dec;26(4):199-203.
- Stefanicki, E., Kosova, A., Flora, K. and Böhmer, D. (No date). Physical Structure of Top Young Volleyball Players. Unpublished manuscript, Institute of Sports Medicine Frankfurt/M., Germany.
- Sterkowicz, S. and Zarrow, R. (1994). Charakterystyka budowy somatycznej zawodniczek karate. *Wychowanie Fizyczne i Sport,* No. 3, pp. 33-41 (in Polish, English Abstract "The characteristic of a somatic build of female karateists).
- Sterkowicz, S. (1994). Body Build and Physical Fitness of Karate Fighters. *Antropomotoryka,* No. 11, pp. 41-76.
- Sterkowicz-Przybycień K. (2009). Body composition and somatotype of the elite of Polish fencers. *Coll Antropol.* Sep;33(3):765-72.
- Sterkowicz-Przybycień K. (2009). Body Composition and Somatotype of the Elite of Polish Fencers. *Collegium Antropologicum,* 33(3):765-772.

- Sterkowicz-Przybycień K. (2010). Technical diversification, body composition and somatotype of both heavy and light Polish ju-jitsukas of high level/Diversifications techniques, composition corporelle et somatotype des ju-jitsukas polonais lourds et légers de haut niveau. *Science & Sports*, 25, 194-200.
- Sterkowicz-Przybycień K. (2010). Body composition and somatotype of the top of Polish male karate contestants. *Biology of Sport*, 27:195-201.
- Sterkowicz-Przybycień K, Almansba R. (2011). Sexual dimorphism of anthropometrical measurements in judoists vs. untrained subject/ Dimorphisme sexuel des mesures anthropométriques chez les judokas versus sédentaires. *Science & Sports*, 26: 316—323.
- Sterkowicz-Przybycień K, Sterkowicz S, Żarów R. (2011). Somatotype, Body Composition and Proportionality in Polish Top Greco-Roman Wrestlers, *Journal of Human Kinetics*, 28: 141-154.
- Stewart, A.D. (2003). Anthropometric fat patterning in male and female subjects. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 18, pp. 194-201. London: Routledge.
- Stewart, A.D., Benson, P.J., Michanikou, E.G., Tsiopta, D.G. and Narli, M.K. (2003). Body image perception, satisfaction and somatotype in male and female athletes and non-athletes: results using a novel morphing technique. *Journal of Sports Sciences*, 21:10, 815-823.
- Stewart, A.D., Johnstone, A.M., Giles, K. and Benson, P.J. (2008). Physique relationships in body dissatisfaction. In: M. Marfell-Jones and T. Olds (Eds.), *Kinanthropometry X*, pp. 231-241. Abingdon, UK: Routledge.
- Stewart, A.D. and Swinton, P. (2006). Comparative morphology of strongmen and bodybuilders. In: Marfell-Jones, M., Stewart, A. and Olds, T (Eds.), *Kinanthropometry IX*, pp. 15-27. Oxford: Routledge.
- Stoklosa, H. and Malgorzata S. (2003). The assessment of somatotype and bone mass density in female athletes. *Journal of Human Kinetics*, 9, 107-112.
- Stuelcken, M., Pyne, D. and Sinclair, P. (2007). Anthropometric characteristics of elite cricket fast bowlers. *Journal of Sports Sciences*, 25:14, 1587-1597.
- Suriarajan, P., Solomon, T.S., Sodhi, H.S. and Herm, K.P. (1990). Somatotype of Indian hockey and athletic team probables using Conrad and Heath-Carter methods. *Origins of Kinanthropometry*, 33-44.
- Susanne, C., Bodzsár, E.B., and Castro, S. (1998). Factor analysis and somatotyping, are these two physique classification methods comparable? *Annals of Human Biology*, 25 (5), 405-414.
- Szmodis, M., Bodzsár, E.B., Szmodis, I. and Mészáros, J. (2002). Exploratory regressions analysis of aerobic capacity on anthropometric variables. In: O.G. Eiben and E.B. Bodzsár, with A. Zsákai (Eds.), *Children and Youth at the Beginning of the 21st Century*. Humanbiologia Budapestinensis, 27, 167-173.
- Taeymans, J. (2008) Juvenile and adolescent age-linked determinants of health-related fitness at age 35 – a 20 years longitudinal study. PhD thesis, Vrije Universiteit Brussel, Brussels.
- Taeymans, J., Duquet, W., Hebbelinck, M. and Borms, J. (2004) Endomorphie im Kindesalter und in der Adoleszenz als Prädiktor für aerobe Kapazität. *Sportverletzungen und Sportschaden*, 18: 167-171.
- Tomazo-Ravnik, T. (1996). Juvenile somatotypes in Slovenia. In É.B. Bodzsár & C. Susanne (Eds.), *Studies in Human Biology* (pp. 335-342). Budapest, Hungary: Eötvös University Press.
- Tomkinson, G.R., Olds, T.R., and Carter, J.E.L. (1999). The body size and shape of male shop mannequins. In: *Proceedings of The Body Culture Symposium*, (pp. 118-128). Melbourne, AUS: Body Image and Health, Inc.
- Tomkinson, G., Olds, T., and Carter, L. (2000). The anthropometry of desire: the body size and shape of female shop mannequins. In: K. Norton, T. Olds and J. Dollman (Eds.), *Kinanthropometry VI: Proceedings of the Sixth*

- Conference of the International Society for the Advancement of Kinanthropometry, (pp.233-252). Adelaide, SA: International Society for the Advancement of Kinanthropometry.
- Tomkinson, G.R., Popovic, N. and Martin, M. (2003). Bilateral symmetry and competitive standard attained in elite and sub-elite sport. *Journal of Sports Sciences*, 21:3, 201-211.
- Tommaseo, M. and Viviani, F. (1991). Il somatotipo delgi Asmat (Irian Jaya, Indonesia). *Quaderni de Anatomia Pratica - S*, 1-4, pp. 1-5.
- Toriola, A.L., Amusa, L.O., Monyeki, K.D., Wekesa, M., De Ridder, J.H., Carter, J.E.L. (2000). Body composition of elite African racket games players. *African Journal for Physical, Health Education, Recreation and Dance*, 6(1), 48-53.
- Toteva, M. (1992). Somatology in Sports. National Sports Academy, Sofia, Bulgaria.
- Travill, A.L., Carter, J.E.L. and Dolan, K.P. (1994). Anthropometric characteristics of elite male triathletes. In: F.I. Bell and G.H. Van Gyn (Eds.), *Access to Active Living*, Proc. 10th Commonwealth & Int. Scientific Congr., Kinanthropometry Section, 10-14 Aug. 1994, Victoria, B.C., Canada, 340-343.
- Travill, A.L. (2000). Nutritional status, growth, physical performance and maturation of socially disadvantaged boys and girls. Ph.D. thesis, University of the Witwatersrand, Johannesburg, South Africa.
- Travill, A.L. and Carter, J.E.L. (1995) Somatotypes of male Olympic high, long and triple jumpers. *South African Journal for Research in Sport, Physical Education and Recreation*, 18(1): 67-75.
- Van Der Walt, T.S.P. and De Ridder, J.H. (1993). Somatotypes of Asian, Coloured, European and Negroid groups of South Africa. In: A.L. Claessens, J. Lefevre, B. Vanden Eynde (Eds.), *World-Wide Variation in Physical Fitness*. Leuven: Institute of Physical Education, 177-181.
- Vasquez-Halseth, C. (1993). Physical structure and body composition of elite aerobic dance athletes. M.A. thesis, San Diego State University, San Diego, CA.
- Ventrella AR, Semproli S, Jürimäe J, Toselli S, Claessens AL, Jürimäe T, Brasili P. (2008). Somatotype in 6-11-year-old Italian and Estonian schoolchildren. *Homo*. 2008;59(5): 383-96.
- Vernillo G, Schena F, Berardelli C, Rosa G, Galvani C, Maggioni M, Agnello L, La Torre A. (2013). [Anthropometric characteristics of top-class Kenyan marathon runners](#). *J Sports Med Phys Fitness*. Aug;53(4):403-8.
- Vertinsky P. (2007). Physique as destiny: William H. Sheldon, Barbara Honeyman Heath and the struggle for hegemony in the science of somatotyping. *Can Bull Med Hist*. 24(2): 291-316.
- Vieira, F., Fragoso, I., Silva, L. and Canto e Castro, L. (2003). Morphology and Sports Performance in Children Aged 10-13 Years: Identification of Different Levels of Motor Skills. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 9, pp. 193-103. London: Routledge.
- Viviani, F. (1994). The somatotype of medium class Italian basketball players. *The Journal of Sports Medicine and Physical Fitness*, 34, 1, 70-75.
- Viviani, F. (2001). Body image and its relationships with body composition and somatotype in adolescents. In: T. Jürimäe and A.P. Hills (Eds.), *Body Composition Assessment in Children and Adolescents*, Medicine and Sport Science, Vol. 44. pp.? Basel: Karger.
- Viviani, F. and Baldin, F. (1993). The somatotype of “amateur” Italian female volleyball players. *J. of Sports Medicine and Physical Fitness*. 33:4, 400-?

- Viviani, F., Bortoli, L., Robazza, C. and Casagrande, G. (1995). Somatotype, self-concept and physical self-efficacy in peripubertal students. In C. Garcia Lopez (Ed.), *Actas del Congreso Científico Olímpico 1992, Biomecánica y Cineantropometría*, Vol. V, pp. 371-373. Málaga, Spain: Instituto Andaluz del Deporte.
- Viviani, F. and Calderan, M. (1991). The somatotype in a group of "top" free-climbers. *The Journal of Sports Medicine and Physical Fitness*, 31, 4, 581-586.
- Viviani, F. and Grassivaro Gallo, P. (1991). Il somatotipo in un gruppo di giovani guineani (Guinea-Bissau). *Antropología Contemporánea*, 14, 1-3, 229-231.
- Viviani, F. and Gassivaro Gallo, P. (1993). Il somatotipo in un gruppo di adolescenti (Chamba, Sulawesi, Indonesia). *Antropología Contemporánea*, 16, 1-2-3-4, 365-371.
- Viviani, F. and Grassivaro Gallo, P. (1993). The morphotype in a group of peri-pubertal soccer players. *The Journal of Sports Medicine and Physical Fitness*, 33, 2, 178-183.
- Viviani, F. and Gasagrande, G. (1996). Assessing the relationship existing between body image and somatotype in circumpubertal athletes and non-athletes [abstract]. The 4th International Conference of Sports Sciences for Young Scientists (p. 51). Estonia: University of Tartu.
- Vucetić V, Matković BR, Sentić D. (2008). Morphological differences of elite Croatian track-and-field athletes. *Coll Antropol*. Sep;32(3): 863-8.
- Wildschut, P.J., Travill, A.L., Leach, L. and Burrell, L. (2002). Anthropometric and physiological characteristics of South African triathletes. *African Journal for Physical, Health Education, Recreation and Dance*, 8(2), 297-308.
- Wilson BR, Olson HW, Sprague HA, Van Huss WD, Montoye HJ. (1990). Somatotype and longevity of former university athletes and nonathletes. *Res Q Exerc Sport*. Mar;61(1):1-6.
- Wilson, N.C., Russell, D.G. and Wilson, B.D. (1993). Body Size and Shape of New Zealanders. Dunedin, New Zealand: LINZ Activity & Health Research Unit, University of Otago.
- Wormgoor, S., Harden, L. and McKinon, W. (2010) Anthropometric, biomechanical, and isokinetic strength predictors of ball release speed in high-performance cricket fast bowlers. *Journal of Sports Sciences*, 28:9, 957-965.
- Yu, Minghu. (1992). An exploratory somatotype study of children with movement difficulties. M.P.E. thesis, The University of New Brunswick, New Brunswick.
- Zaletnyik, Z. (1998). Asztaliteniszszök Testalkata. (Physique of table-tennis players.) *Anthrop. Közl.* 39: 103-124.
- Ziv, G. and Lidor R. (2009). Physical attributes, physiological characteristics, on-court performances and nutritional strategies of female and male basketball players. *Sports Med.* 39(7): 547-68.
- Zviagin VN, Sineva IM. (2009). [Identification of male somatotype based on osteometric characteristics of the upper and lower extremities]. Russian. *Sud Med Ekspert*. Sep-Oct;52(5):6-11.